



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Carlton Scale
120 Landmark Drive
Greensboro, NC 27409

Fulfills the requirements of

ISO/IEC 17025:2017

and national standard

ANSI/NCSL Z540-1-1994 (R2002)

In the field of

CALIBRATION

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'Jason Stine', is positioned above a horizontal line.

Jason Stine, Vice President

Expiry Date: 30 July 2027

Certificate Number: L1105-1



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

AND

ANSI/NCSL Z540-1-1994 (R2002)

Carlton Scale
120 Landmark Drive
Greensboro, NC 27409

Jason Bixby 336-668-7677

CALIBRATION

ISO/IEC 17025 Accreditation Granted: **30 July 2025**

Certificate Number: **L1105-1**

Certificate Expiry Date: **30 July 2027**

Mass and Mass Related

Parameter/Equipment	Range	Expanded Uncertainty of Measurement (+/-)	Reference Standard, Method, and/or Equipment
Precision Lab Balances ¹ (0.000 01 g resolution) (0.000 1 g resolution) (0.001 g resolution) (0.01 g resolution)	 (0 to 220) g (0 to 1 000) g (0 to 2 000) g (0 to 6 000) g	 0.000 6 g 0.001 g 0.006 1 g 0.019 g	ASTM E617 Class 1 weights and NIST Handbook 44 utilized for the calibration of the weighing system.


Mass and Mass Related

Parameter/Equipment	Range	Expanded Uncertainty of Measurement (+/-)	Reference Standard, Method, and/or Equipment
Industrial Scales ¹			NIST Class F weights and NIST Handbook 44 utilized for the calibration of the weighing system.
(0.000 2 lb resolution)	(0 to 6) lb	0.000 7 lb	
(0.000 5 lb resolution)	(0 to 50) lb	0.004 4 lb	
(0.001 lb resolution)	(0 to 200) lb	0.013 lb	
(0.002 lb resolution)	(0 to 400) lb	0.02 lb	
(0.005 lb resolution)	(0 to 500) lb	0.061 lb	
(0.01 lb resolution)	(0 to 500) lb	0.065 lb	
(0.02 lb resolution)	(0 to 500) lb	0.066 lb	
(0.05 lb resolution)	(0 to 500) lb	0.089 lb	
(0.1 lb resolution)	(0 to 5 000) lb	0.35 lb	
(0.2 lb resolution)	(0 to 5 000) lb	0.39 lb	
(0.5 lb resolution)	(0 to 10 000) lb	0.65 lb	
(1 lb resolution)	(0 to 20 000) lb	1.2 lb	
(2 lb resolution)	(0 to 15 000) lb	2.4 lb	
(5 lb resolution)	(0 to 20 000) lb	5.8 lb	
(10 lb resolution)	(0 to 60 000) lb	12 lb	
(20 lb resolution)	(0 to 120 000) lb	31 lb	
(50 lb resolution)	(0 to 400 000) lb	77 lb	

Calibration and Measurement Capability (CMC) is expressed in terms of the measurement parameter, measurement range, expanded uncertainty of measurement and reference standard, method, and/or equipment. The expanded uncertainty of measurement is expressed as the standard uncertainty of the measurement multiplied by a coverage factor of 2 ($k=2$), corresponding to a confidence level of approximately 95%.

Notes:

- On-site calibration service is available for this parameter, since on-site conditions are typically more variable than those in the laboratory, larger measurement uncertainties are expected on-site than what is reported on the accredited scope.
- Industrial Scales include Bench Scales, Counting Scales, Portable Scales, Floor Scales, Crane/Hanging Scales, Tank and Hopper Scales, Forklift/Lift Truck Scales and Vehicle Scales.
- Carlton Scale maintains ISO 17025 qualified resident technicians in Kingsport, TN, Knoxville, TN, Roanoke, VA, Richmond, VA, Chesapeake, VA, Salisbury, MD, Charlotte, NC, Greenville, NC, Greenville, SC and Greensboro, NC.



Jason Stine, Vice President