



# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

### IEH Laboratories and Consulting Group

4575 W. Main St.  
Guadalupe, CA 93434

Fulfills the requirements of

### ISO/IEC 17025:2017

In the field of

### TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 25 July 2022

Certificate Number: AT-1706



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory  
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

**SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017**

**IEH Laboratories and Consulting Group**

4575 W. Main St.  
Guadalupe, CA 93434

Julian Tapia 805-249-5570  
[iehguadalupe@iehinc.com](mailto:iehguadalupe@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

**TESTING**

Valid to: **July 25, 2022**

Certificate Number: **AT-1706**

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
E. coli O157, EHEC, STEC	MB217.01 AOAC RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Salmonella sp.</i>	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (omitted or not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
<i>Listeria sp.</i> and <i>L. monocytogenes</i>	MB316.01 AOAC RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Process Control Index	MB491.01	Food, Raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System

**Microbiological**


Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Total Coliform Generic <i>E. coli</i>	MB706.01 EPA 1604 Modified	Water	Membrane Filters
Aerobic Plate Count	MB704.01 Rapid (12 hour)	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	MPN
<i>E. coli</i> Count	MB707.01 Rapid (12 hour)	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	MPN
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC RI-PTM 051702	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	Microfilm
Aerobic Plate Count	MB073.06 AOAC RI-PTM 051702	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	Microfilm

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Yeast and Mold Count	MB074.03 AOAC RI-PTM 051702	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	Microfilm

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1706.



R. Douglas Leonard Jr., VP, PILR SBU

