

# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

## **IEH Laboratories and Consulting Group**

2500 S. Good Latimer Expressway Dallas, TX 75215

Fulfills the requirements of

**ISO/IEC 17025:2017** 

In the field of

### **TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at <a href="www.anab.org">www.anab.org</a>.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 07 November 2023 Certificate Number: AT-1584





#### SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### **IEH Laboratories and Consulting Group**

2500 S. Good Latimer Expressway Dallas, TX 75215

Daniel De La Vega 469-917-7722 daniel.dlv@iehinc.com www.iehinc.com

#### **TESTING**

Valid to: November 7, 2023 Certificate Number: AT-1584

#### Microbiological

| Specific Tests and/or<br>Properties Measured | Specification, Standard,<br>Method, or Test Technique | Items, Materials or<br>Product Tested  | Key Equipment or<br>Technology |
|--|---|--|--------------------------------|
| E. coli O157, EHEC, STEC                     | MB <mark>217.01</mark><br>AOAC-RI PTM 100701          | Food, raw ground beef, raw<br>beef trim, raw poultry, RTE<br>turkey (not for STEC), mixed<br>leafy greens, nuts, green<br>onions, fruits, swabs, water | PCR System                     |
| Salmonella sp.                               | MB217.01<br>AOAC-RI PTM 100701                        | Food, raw ground beef, raw<br>beef trim, raw poultry, RTE<br>turkey, mixed leafy greens,<br>nuts, green onions, fruits,<br>swabs, water                | PCR System                     |
| Listeria sp. and<br>L. monocytogenes         | MB316.01<br>AOAC-RI PTM 021201                        | Food, raw ground beef, raw<br>beef trim, raw poultry, RTE<br>turkey, mixed leafy greens,<br>nuts, green onions, fruits,<br>swabs, water                | PCR System                     |
| Process Control Index                        | MB491.01  | Food, Raw ground beef, raw<br>beef trim, raw poultry, RTE<br>turkey, mixed leafy greens,<br>nuts, green onions, fruits,<br>swabs, water                | PCR System                     |
| Total Coliform/E. coli                       | MB072.04<br>AOAC-RI PTM 051702                        | Food and Environmental Samples   | Microfilm                      |






#### Microbiological

| Specific Tests and/or<br>Properties Measured | Specification, Standard,<br>Method, or Test Technique | Items, Materials or<br>Product Tested   | Key Equipment or<br>Technology |
|--|---|---|--------------------------------|
| Aerobic Plate Count                          | MB073.06<br>AOAC-RI PTM 051702                        | Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds | Microfilm                      |
| Yeast & Mold Count                           | MB074.03<br>AOAC-RI PTM 051702                        | Food and Environmental Samples  | Microfilm                      |

#### Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT -1584.



R. Douglas Leonard Jr., VP, PILR SBU

