



# CERTIFICATE OF ACCREDITATION

**The ANSI National Accreditation Board**

Hereby attests that

**IEH Laboratories and Consulting Group**

**150 Washington Boulevard**

**Laurel, MD 20707**

Fulfills the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.

The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

A handwritten signature in black ink, appearing to read 'R.D.L.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 02 October 2023

Certificate Number: AT-1567



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

150 Washington Boulevard  
Laurel, MD 20707

Earl George Seanna Hunt 206-779-6275  
[earl.george@iehinc.com](mailto:earl.george@iehinc.com) [seanna.hunt@iehinc.com](mailto:seanna.hunt@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

### TESTING

Valid to: **October 2, 2023**

Certificate Number: **AT-1567**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
E. coli O157, EHEC, STEC	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey (not for STEC), mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Salmonella sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Listeria sp. and L. monocytogenes	MB316.01 AOAC-RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Process Control Index	MB491.01	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Aerobic Plate Count	MB073.06 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform/E. coli	MB072.04 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm
Yeast & Mold Count	MB074.03 AOAC-RI PTM 051702	Food and Environmental Samples	Microfilm

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Total Coliforms/E. coli	MB211.01 SMEWW 9223B	Water	Presence/Absence
Total Coliforms/E. coli	MB706.01 EPA 1604	Water	Membrane Filtration
Total Coliforms / E. coli	SMEWW 9223	Water	Colilert-18 MPN
Enterobacteriaceae / E. coli Specification	MB219.04	Food and Environmental Samples	Microfilm
Aerobic Plate Count	MB073.01 AOAC 966.23; FDA BAM Ch.3	Food, RTE foods (meats, dairy, produce, salads, cereals), raw meats, poultry, seafood, mixed leafy greens, green onions, fruits, seeds, grains, nuts and their derivatives, spices, swabs, water, animal food and feeds	Agar Plate

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT -1567.



R. Douglas Leonard Jr., VP, PILR SBU