



# CERTIFICATE OF ACCREDITATION

## The ANSI National Accreditation Board

Hereby attests that

**IEH Laboratories and Consulting Group**  
**201 S. Division Street**  
**Cashmere, WA 98815**

Fulfills the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 28 February 2022  
Certificate Number: AT-1625



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory  
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### IEH Laboratories and Consulting Group

201 S. Division Street  
Cashmere, WA 98815

Christine Bender 509-782-1500  
[christine.bender@iehinc.com](mailto:christine.bender@iehinc.com) [www.iehinc.com](http://www.iehinc.com)

### TESTING

Valid to: **February 28, 2022**

Certificate Number: **AT-1625**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
<i>E. coli</i> O157, EHEC	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Salmonella</i> sp.	MB217.01 AOAC-RI PTM 100701	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
<i>Listeria</i> sp. and <i>L. monocytogenes</i>	MB316.01 AOAC-RI PTM 021201	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR system
Process Control Index	MB491.01	Food, raw ground beef, raw beef trim, raw poultry, RTE turkey, mixed leafy greens, nuts, green onions, fruits, swabs, water	PCR System
Aerobic Plate Count	MB073.01 AOAC 966.23; FDA BAM Ch. 3	Food and Environmental Samples	Agar Plate
Aerobic Plate Count	MB073.06 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm
Yeast and Mold Count	MB074.03 AOAC – RI PTM 051702	Food and Environmental Samples	Microfilm

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Total Coliform/ <i>E. coli</i>	MB072.04 AOAC - RI PTM 051702	Food and Environmental Samples	Microfilm
Total Coliform/ <i>E. coli</i>	MB211.01 IDEXX	Food and Environmental Samples	Colilert
Total Coliform Generic <i>E. coli</i>	MB706 .01 EPA 1604	Environmental Samples	Membrane Filtration

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1625.



R. Douglas Leonard Jr., VP, PILR SBU

