



# CERTIFICATE OF ACCREDITATION

**The ANSI National Accreditation Board**

Hereby attests that

**Matrix Sciences International Inc. – Ohio**  
**1730 Atlas Street**  
**Columbus, OH 43228**

Fulfills the requirements of

**ISO/IEC 17025:2017**

In the field of

**TESTING**

This certificate is valid only when accompanied by a current scope of accreditation document.  
The current scope of accreditation can be verified at [www.anab.org](http://www.anab.org).

A handwritten signature in black ink, appearing to read 'R.D.L.', is positioned above a horizontal line.

R. Douglas Leonard Jr., VP, PILR SBU

Expiry Date: 09 December 2021  
Certificate Number: AT-1596



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.  
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory  
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



## SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

### Matrix Sciences International Inc. – Ohio

1730 Atlas Street  
Columbus, OH 43228

Krysta Renier, Corporate QA Manager      Phone: 847-656-0186

[krenier@matrixsciences.com](mailto:krenier@matrixsciences.com)

<http://www.matrixsciences.com/>

### TESTING

Valid to: **December 9, 2021**

Certificate Number: **AT-1596**

#### Microbiological

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Aerobic Plate Count	<u>MX1-M-0008</u> AOAC 990.12 CMMEF Ch 3 & 8	Food/ Environmental	Petrifilm
Aerobic Plate Count	FDA BAM Ch 3 CMMEF Ch 3 & 8	Food/ Environmental	Plate
Coliform/ <i>E. coli</i> Count	<u>MX1-M-0008</u> AOAC 991.14 / 998.08 CMMEF Ch 3 & 9	Food/ Environmental	Petrifilm
Coliform/ <i>E. coli</i> Count	<u>MX1-M-0004</u> FDA BAM Ch 4 CMMEF Ch 3 & 9	Food/ Environmental	Plate
Coliform/ <i>E. coli</i> Count	AOAC 966.23 FDA BAM Ch. 4	Food	Multiple Tube
<i>Enterobacteriaceae</i>	<u>MX1-M-0008</u> AOAC 2003.01	Food/ Environmental	Petrifilm
<i>Enterobacteriaceae</i>	<u>OH1-M-0006</u> ISO 21528-2:2017 CMMEF Ch 9	Food Ingredients/ Products / Water / Environmentals	Plate
<i>Staphylococcus aureus</i> Count, coagulase positive	<u>MX1-M-0008</u> AOAC 2003.07 CMMEF Ch 3 & 39	Food/ Environmental	Petrifilm
<i>Staphylococcus aureus</i> Count, coagulase positive	<u>OH1-M-0007</u> FDA BAM Ch 12 CMMEF Ch 3 & 39	Food/ Environmental	Plate
Yeast/Mold Count	<u>MX1-M-0008</u> AOAC 997.02 CMMEF Ch 3 & 21	Food/ Environmental	Petrifilm

**Microbiological**

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Yeast/Mold Count	<u>OH1-M-0005</u> FDA BAM Ch 18 CMMEF Ch 3 & 21	Food/ Environmental	Plate
<i>Salmonella</i>	<u>MX1-M-0001</u> AOAC 2011.03	Food/ Environmental	VIDAS ELFA
<i>Salmonella</i>	<u>MX1-M-0012</u> AOAC 2020.02	Food/ Environmental	Gene-up PCR
<i>Salmonella</i>	<u>OH1-M-0012</u> AOAC 021101; AFNOR 25/05-11-08	Food Ingredients / Products / Water	Pall PCR
<i>Salmonella</i>	<u>OH1-M-0027</u> AFNOR SOL 37/01-06/13; AOAC PTM 051601 Solus Salmonella SAL-0480S	Food Ingredients / Products / Water	Solus ELISA
<i>Listeria species</i>	<u>MX1-M-0001</u> AOAC 2004.06	Food/ Environmental	VIDAS ELFA
<i>Listeria species</i>	<u>MX1-M-0012</u> AOAC 2019.10	Food/ Environmental	Gene-up PCR
<i>Listeria species</i>	<u>OH1-M-0023</u> AOAC 031205; AFNOR 25/07-07-10	Food Ingredients / Products / Water	Pall PCR
<i>Listeria species</i>	<u>OH1-M-0026</u> AFNOR SOL 37/02-06/13 Solus Listeria LIS-0480S	Food Ingredients / Products / Water / Environmentals	Solus ELISA
<i>Listeria monocytogenes</i>	<u>MX1-M-0001</u> AOAC 2004.02	Food/ Environmental	VIDAS ELFA
<i>Listeria monocytogenes</i>	<u>MX1-M-0012</u> AOAC 2019.11	Food/ Environmental	Gene-up PCR

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. AT-1596.



R. Douglas Leonard Jr., VP, PILR SBU