



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

Occupational Services Incorporated (OSI)

6397 Nancy Ridge Drive
San Diego, CA 92121

Fulfills the requirements of

ISO/IEC 17025:2017

In the fields of

CALIBRATION and TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

A handwritten signature in black ink, appearing to read 'Jason Stine', is positioned above a horizontal line.

Jason Stine, Vice President

Expiry Date: 05 April 2025

Certificate Number: ACT-1764



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Occupational Services Incorporated (OSI)

6397 Nancy Ridge Drive
San Diego, CA 92121

www.occserv.com

Nicola Rinaldi (Quality Manager) 858-558-6736
Chad Hanson (Technical Manager) 619-708-8130

nick@occserv.com

chad@occserv.com

CALIBRATION AND TESTING

Valid to: **April 5, 2025**

Certificate Number: **ACT-1764**

TESTING

Radiometric

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Ionizing Radiation Detection Devices and Radioactive Materials ¹	Functional Tests of Response to Radiation, Alarm Activation, Background Radiation Levels, Presence of Radioactive Materials, Leak Testing of Sealed Sources.	No. SSG-17, IAEA Safety Standards, Specific Safety Guide for Control of Orphan Sources and Other Radioactive Material in the Metal Recycling and Production Industries. ANSI N323AB-2013 American National Standard Radiation Protection Instrumentation Test and Calibration, Portable Survey Instruments	Radiation Check Sources, Pulsers, Multimeters, NaI Multichannel Analyzers, Liquid Scintillation Counter, Automated Gamma Counter, Gas Flow Proportional Detectors

Environmental

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Biological Safety Cabinets ³	Downflow Velocity Profile, Inflow Velocity Profile, Airflow Smoke Patterns, HEPA/ULPA Filter Leak Test, Site Installation Assessment, Cabinet Integrity, Lighting Intensity, Vibration, Noise Level	NSF/ANSI 49, “Biosafety Cabinetry: Design, Construction, Performance, and Field Certification, Annex N-5” ^{2,5}	Direct Inflow Measurement Instrument, Aerosol Photometer, Laskin Nozzle Aerosol Generator, Pressure Gauge, Manometer, Portable Photoelectric Illumination Meter, Vibration Analyzer, Sound Level Meter, Thermal Anemometer, Tape Measure
Laminar Flow Devices, Clean Benches	Airflow Velocity, HEPA/ULTA Leak and Back-Streaming Tests, Airborne Particle Count, Exhaust Flow, Filter Differential Pressure, Lighting Level, Noise Level, Vibration, Ground Circuit Resistance and Airflow Patterns	IEST RP CC002.3 “Unidirectional-Flow, Clean-Air Devices” ²	Direct Inflow Measurement Instrument, Aerosol Photometer, Laskin Nozzle Aerosol Generator, Pressure Gauge, Manometer, Portable Photoelectric Illumination Meter, Vibration Analyzer, Sound Level Meter, Thermal Anemometer, Tape Measure
Clean Room Particle Concentration ⁴ Areas, Rooms	Particle Concentration	ISO 14644-1, “Cleanrooms and Associated Controlled Environments —Part 1: Classification of Air Cleanliness” ²	HACH Met One or Equivalent Particle Counter
Fume Hood Field Testing ⁴	Flow Rate, Alarm Test	California Code of Regulations, Title 8, Section 5154.1	Thermal Anemometer, Velocity Meter

CALIBRATION


Ionizing Radiation

Parameter/Equipment	Range	Expanded Uncertainty of Measurement (+/-)	Reference Standard, Method, and/or Equipment
Exposure Rate - Protection level survey meters ¹	(0.000 025 to 10) R/hr (0.000 025 to 10) rem/hr (0.002 5 to 0.1) Sv/hr (0.01 to 100) R (0.001 to 100) rem (0.000 1 to 1) Sv	5 % of reading	NIST Traceable ¹³⁷ Cs Source ANSI N323AB-2013 “American National Standard Radiation Protection Instrumentation Test and Calibration, Portable Survey Instruments”
Count Rate Meter ¹	(50 to 10 000 000) cpm (counts per minute)	5 % of reading	Ludlum 500 Series Pulser or Equivalent. ANSI N323AB-2013, “American National Standard Radiation Protection Instrumentation Test and Calibration, Portable Survey Instruments”

Calibration and Measurement Capability (CMC) is expressed in terms of the measurement parameter, measurement range, expanded uncertainty of measurement and reference standard, method, and/or equipment. The expanded uncertainty of measurement is expressed as the standard uncertainty of the measurement multiplied by a coverage factor of 2 ($k=2$), corresponding to a confidence level of approximately 95%.

Notes:

1. Individuals performing radiation detection instrument calibration or sealed source leak testing are authorized by the State of California Department of Public Health to perform calibration of radiation detection instruments and sealed source leak testing under License 5149-37.
2. For standards or methods listed on the scope of accreditation without a revision date, laboratories are expected to be competent in the use of the current version within one year of standard or method publication update (or by the authorized use date of a recognition body or regulatory agency). When an older standard or method is required for an accredited test, the scope will include the superseded date/version if lab demonstrated to be enveloped by and within the limits of the listed tests and the general controls enveloped in ISO/IEC 17025 Accreditation
3. Testing to NSF/ANSI 49, “Biosafety Cabinetry: Design, Construction, Performance, and Field Certification, Annex F” is either performed by or reviewed by NSF certified personnel.
4. Testing of particle concentration and fume hood instruments is done in the field.
5. Consistent with Biological Safety Cabinet Field Testing to NSF/ANSI 49, physical tests are conducted on-site leading to a Test Report including a statement defining the standard used, i.e., “NSF/ANSI 49” with the appropriate year of the standard.
6. This scope is formatted as part of a single document including Certificate of Accreditation No. ACT-1764.



Jason Stine, Vice President